

AN ANALYTICAL RESEARCH ON HUMAN-COMPUTER INTERFACE

Shivani Bansal
Research Scholar

ABSTRACT

Human computer interaction or HCI is the study of interaction between people (users) and computers. It is often regarded as the intersection of computer science, behavioral sciences, design and several other fields of study. Because human-computer interaction studies a human and a machine in conjunction, it draws from supporting knowledge on both the machine and the human side. On the machine side, techniques in computer graphics, operating systems, programming languages, and development environments are relevant. On the human side communication theory, graphic and industrial design disciplines, linguistics, social sciences, cognitive psychology, and human performance are relevant. Engineering and design methods are also relevant. Due to the multidisciplinary nature of HCI people with different backgrounds contribute to its success. However, due to the different value systems of its diverse members, the collaboration can be challenging.

Keywords: HCI, Computing Machinery, UCD, Communication.

INTRODUCTION

It is a well known fact that interaction between users and computers occurs at the user interface (or simply interface), which includes both software and hardware, for example, general-purpose computer peripherals and large-scale mechanical systems, such as aircraft and power plants. The following definition is given by the Association for Computing Machinery "**Human-computer interaction is a discipline concerned with the design, evaluation and implementation of interactive computing systems for human use and with the study of major phenomena surrounding them.**" HCI is to improve the interactions between users and computers by making computers more usable and receptive to the user's needs. Specifically HCI is concerned with:

- methodologies and processes for designing interfaces
- methods for implementing interfaces
- techniques for evaluating and comparing interfaces
- developing new interfaces and interaction techniques
- developing descriptive and predictive models and theories of interaction

A long term goal of HCI is to design systems that minimize the barrier between the human's cognitive model of what they want to accomplish and the computer's understanding of the user's task. Professional practitioners in HCI are usually designers concerned with the practical application of design methodologies to real world problems. Their work often revolves around designing graphical user interfaces and web interfaces. Researchers in HCI are interested in developing new design methodologies, experimenting with new hardware devices, prototyping new software systems, exploring new paradigms for interaction, and developing models and theories of interaction.

HCI differs with human factors in that there is more of a focus on users working with computers rather than other kinds of machines or designed artifacts, and an additional focus on how to implement the (software and hardware) mechanisms behind computers to support human-computer interaction. HCI also differs with ergonomics in that there is less of a focus on repetitive work-oriented tasks and procedures, and much less emphasis on physical stress and the physical form or industrial design of physical aspects of the user interface, such as the physical form of keyboards and mice.

METHODOLOGIES

A number of diverse methodologies outlining techniques for human computer interaction design have emerged since the rise of the field in the 1980s. Most design methodologies stem from a model for how users, designers, and technical systems interact. Early methodologies, for example, treated users' cognitive processes as predictable and quantifiable and encouraged design practitioners to look to cognitive science results in areas such as memory and attention when designing user interfaces. Modern models tend to focus on a constant feedback and conversation between users, designers, and engineers and push for technical systems to be wrapped around the types of experiences users want to have, rather than wrapping user experience around a completed system.

- **User-centered design:** User centered design (UCD) is a modern, widely practiced design philosophy rooted in the idea that users must take center-stage in the design of any computer system. Users, designers and technical practitioners work together to articulate the wants, needs and limitations of the user and create a system that addresses these elements. Often, user-centered design projects are informed by ethnographic studies of the environments in which users will be interacting with the system. This practice is similar, but not identical to Participatory Design, which emphasizes the possibility for end users to contribute actively through shared design sessions and workshops.

- **Principles of User Interface Design:** these are seven principles that may be considered at any time during the design of a user interface in any order, namely Tolerance, Simplicity, Visibility, Affordance, Consistency, Structure and Feedback.

Displays are human-made artifacts designed to support the perception of relevant system variables and to facilitate further processing of that information. Before a display is designed, the task that the display is intended to support must be defined. A user or operator must be able to process whatever information that a system generates and displays; therefore, the information must be displayed according to principles in a manner that will support perception, situation awareness, and understanding.

These principles of human perception and information processing can be utilized to create an effective display design. A reduction in errors, a reduction in required training time, an increase in efficiency, and an increase in user satisfaction are a few of the many potential benefits that can be achieved through utilization of these principles. Certain principles may not be applicable to different displays or situations. Some principles may seem to be conflicting, and there is no simple solution to say that one principle is more important than another. The principles may be tailored to a specific design or situation. Striking a functional balance among the principles is critical for an effective design.

FUTURE SCOPE

The means by which humans interact with computers continues to evolve rapidly. Human-computer interaction is affected by the forces shaping the nature of future computing. These forces include:

1. **Ubiquitous communication:** Computers will communicate through high speed local networks, nationally over wide-area networks, and portably via infrared, ultrasonic, cellular, and other technologies. Data and computational services will be portably accessible from many if not most locations to which a user travels.
2. **High functionality systems:** Systems will have large numbers of functions associated with them. There will be so many systems that most users, technical or non-technical, will not have time to learn them in the traditional way (e.g., through thick manuals).
3. **Mass availability of computer graphics:** Computer graphics capabilities such as image processing, graphics transformations, rendering, and interactive animation will become widespread as inexpensive chips become available for inclusion in general workstations.

4. **Mixed media:** Systems will handle images, voice, sounds, video, text, formatted data. These will be exchangeable over communication links among users. The separate worlds of consumer electronics (e.g., stereo sets, VCRs, televisions) and computers will partially merge. Computer and print worlds will continue to cross assimilate each other.
5. **High-bandwidth interaction:** The rate at which humans and machines interact will increase substantially due to the changes in speed, computer graphics, new media, and new input/output devices. This will lead to some qualitatively different interfaces, such as virtual reality or computational video.
6. **Large and thin displays:** New display technologies will finally mature enabling very large displays and also displays that are thin, light weight, and have low power consumption. This will have large effects on portability and will enable the development of paper-like, pen-based computer interaction systems very different in feel from desktop workstations of the present.

REFERENCES

1. ACM SIGCHI Curricula for Human-Computer Interaction
2. Bartneck, C., & Rauterberg, M. (2007). HCI Reality – An ‘Unreal Tournament’? International Journal of Human Computer Studies, 65(8), 737–743 | DOI: 10.1016/j.ijhcs.2007.03.003 | view html version
3. Green, Paul (2008). Iterative Design. Lecture presented in Industrial and Operations Engineering 436 (Human Factors in Computer Systems, University of Michigan, Ann Arbor, MI, February 4, 2008.
4. Wickens, Christopher D., John D. Lee, Yili Liu, and Sallie E. Gordon Becker. An Introduction to Human Factors Engineering. Second ed. Upper Saddle River, NJ: Pearson Prentice Hall, 2004. 185–193.
5. Brown, C. Marlin. Human-Computer Interface Design Guidelines. Intellect Books, 1998. 2–3.
6. Jef Raskin: Intuitive Equals Familiar. In: Communications of the ACM, vol 37, no 9, September 1994, pp. 17–18,
7. Bartneck, C. (2008). What Is Good? – A Comparison Between The Quality Criteria Used In Design And Science. Proceedings of the Conference on Human Factors in Computing Systems (CHI2008), Florence pp. 2485–2492. DOI: 10.1145/1358628.1358705